DATE: 05/02/2023 REV N°: 1 MOD: 4.1.2. UK



TECHNICAL DATA SHEET

1. TRADE NAME: DROSALIQUID

Liquid attractant for the monitoring of *Drosophila suzukii*, *Ceratitis capitata* and *Bactrocera dorsalis*.

Monitoring device that must be applied to control regularly the pests' presence in a specific agricultural environment for a defined time.

2. PRODUCT CODE: P-25020INF

3. PICTURE:



4. TECHNICAL SPECIFICATIONS:

Drosaliquid is a liquid attractant for the mass capture of Diptera, recommended for the monitoring of *Drosophila suzukii*, *Ceratitis capitata* and *Bactrocera dorsalis*.

Ingredients: Mixture of natural food-base substances

Content: 1 L

InFarm PHERO LINE ISAGRO products could undergo necessary or opportune technical changes, at any given time, without prior written notice to customers.

5. HOW TO USE:

Food-based liquid attractant to be used inside Drosatrap.

It is suggested to place Between 10-20 traps per hectare filled with 200 - 250 ml of liquid attractant, placing them at a height of 1 - 1.5 m.

To achieve a greater attractive effect, you can use the product in combination with specific pheromones.

We suggest you to give a number to each trap and indicate its placement in the monitored area plan, in order to facilitate the check during the periodic monitoring.

DATE: 05/02/2023 **REV N°: 1 MOD:** 4.1.2. UK



TECHNICAL DATA SHEET

Suggested monitoring period: between April and November, depending on the temperature and presence of insects.

Suggested frequency of the controls: weekly, fill the liquid every two weeks or when necessary.

Duration of the product: 3 to 6 weeks, depending on environmental conditions. In order to prolong the life of the liquid in the field, it is recommended to check the traps regularly and eliminate insects present within the liquid itself.

Storage conditions: Sore in a cool and dry room, temperature below 25°C and R.H. below 55%. If well stored (intact packaging), the product shelf life is 18 months.

6. PACKAGING AND SPARE PARTS:

- Packs of 1 L (sales unit)

7. DISPOSAL CONSIDERATIONS:

Waste disposal should be in accordance with existing Community, National and local regulations.